

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 23.02.2018

Version number 1

Revision: 22.02.2018

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name **weberseal PU**

Safety data sheet no.: XXP014613

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

**Application of the substance / the mixture** Construction chemicals

### 1.3 Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

Saint-Gobain Weber Co., Ltd.

Gypsum Metropolitan Tower 14th Floor 539/2 Si-Ayutthaya Road

Thanonphayathai, Ratchathewi

Bangkok 10400 Thailand

Tel: +662 245 8777

### 1.4 Emergency telephone number:

Tel. 0 2202 4225-7

Tel. 0 2202 4235-6

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

#### Additional information:

Contains isocyanates. May produce an allergic reaction.

Contains Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate. May produce an allergic reaction.

Safety data sheet available on request.

### 2.3 Other hazards

#### Results of PBT and vPvB assessment

**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

## SECTION 3: Composition/information on ingredients

### 3.2 Chemical characterisation: Mixtures

**Description:** Mixture of substances listed below with non hazardous additions.

(Contd. on page 2)

EUG

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 23.02.2018

Version number 1

Revision: 22.02.2018

**Trade name weberseal PU**

(Contd. of page 1)

**Dangerous components:**

CAS: 1330-20-7 EINECS: 215-535-7 Index number: 601-022-00-9 Reg.nr.: 2119488216-32-xxxx	xylene, mixed isomers, pure ⚠ Flam. Liq. 3, H226; ⚠ Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315	2-5%
CAS: 1308-38-9 EINECS: 215-160-9 Reg.nr.: 01-2119433951-39-xxxx	Chromium (III) oxide substance with a Community workplace exposure limit	1-2%

**SVHC** Void

**Additional information** For the wording of the listed hazard phrases refer to section 16.

**SECTION 4: First aid measures**

**4.1 Description of first aid measures**

**General information**

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

Immediately remove any clothing soiled by the product.

**After inhalation**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

**After skin contact** Immediately wash with water and soap and rinse thoroughly.

**After eye contact**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse liquid should be tempered (20-30°C).

**After swallowing** If symptoms persist consult a doctor.

**4.2 Most important symptoms and effects, both acute and delayed**

Headache

Dizziness

Nausea

**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**SECTION 5: Firefighting measures**

**5.1 Extinguishing media**

**Suitable extinguishing agents**

CO2. Do not use water.

Foam

Fire-extinguishing powder

**For safety reasons unsuitable extinguishing agents** Water with full jet

(Contd. on page 3)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.02.2018

Version number 1

Revision: 22.02.2018

**Trade name weberseal PU**

(Contd. of page 2)

**5.2 Special hazards arising from the substance or mixture**

During heating or in case of fire poisonous gases are produced.

Carbon monoxide (CO)

Nitrogen oxides (NO<sub>x</sub>)

Under certain fire conditions, traces of other toxic gases cannot be excluded, e.g.:

Hydrogen cyanide (HCN)

**5.3 Advice for firefighters****Protective equipment:** Wear self-contained respiratory protective device.**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation.

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources

**6.2 Environmental precautions:** Do not allow product to reach sewage system or any water course.**6.3 Methods and material for containment and cleaning up:**

Dispose of contaminated material as waste according to item 13.

Dispose of the material collected according to regulations.

Ensure adequate ventilation.

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

**6.4 Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Keep receptacles tightly sealed.

Open and handle receptacle with care.

Ensure good ventilation/exhaustion at the workplace.

Provide suction extractors if dust is formed.

**Information about fire - and explosion protection:**

Keep ignition sources away - Do not smoke.

Keep respiratory protective device available.

**7.2 Conditions for safe storage, including any incompatibilities****Storage****Requirements to be met by storerooms and receptacles:**

Store only in unopened original receptacles.

Store in a cool location.

Insure sufficient ventilation for storage and work areas.

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 23.02.2018

Version number 1

Revision: 22.02.2018

**Trade name weberseal PU**

(Contd. of page 3)

**Information about storage in one common storage facility:**

Store away from oxidising agents.

Store away from foodstuffs.

**Further information about storage conditions:**

Protect from humidity and water.

Store in a cool place.

**7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

**Additional information about design of technical facilities:** No further data; see item 7.

**8.1 Control parameters**

**Ingredients with limit values that require monitoring at the workplace:**

CAS No.	Designation of material	%	Type	Value	Unit
<b>CAS: 1330-20-7 xylene, mixed isomers, pure</b>					
IOELV (European Union)	Short-term value: 442 mg/m <sup>3</sup> , 100 ppm Long-term value: 221 mg/m <sup>3</sup> , 50 ppm Skin				
<b>CAS: 1308-38-9 Chromium (III) oxide</b>					
IOELV (European Union)	Long-term value: 2 mg/m <sup>3</sup> as Cr				

**Additional information:**

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

**8.2 Exposure controls**

**Personal protective equipment:**

**General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid close or long term contact with the skin.

Use a moisturising skin cream after processing the product.

**Respiratory protection:**

Use suitable respiratory protective device in case of insufficient ventilation.

Short term filter device:

Filter A

**Protection of hands:** Protective gloves.

**Material of gloves** PVA gloves

**Eye protection:** Safety glasses.

**Body protection:** Protective work clothing.

EUG

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 23.02.2018

Version number 1

Revision: 22.02.2018

Trade name weberseal PU

(Contd. of page 4)

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

**General Information**

**Appearance:**

<b>Form:</b>	Powder
<b>Colour:</b>	Different according to colouring
<b>Odour:</b>	Light
<b>Odour threshold:</b>	Not determined.

**pH-value:** Not applicable.

**Change in condition**

<b>Melting point/freezing point:</b>	Undetermined.
<b>Initial boiling point and boiling range:</b>	137 °C

**Flash point:** >40 °C (ISO 1523)

**Flammability (solid, gas):** Product is not flammable.

**Ignition temperature:** >200 °C

**Decomposition temperature:** Not determined.

**Auto-ignition temperature:** Product is not selfigniting.

**Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.  
Not determined.

**Explosion limits:**

<b>Lower:</b>	0.6 Vol %
<b>Upper:</b>	8 Vol %

**Oxidising properties** Not determined.

**Vapour pressure:** Not applicable.

<b>Density at 20 °C:</b>	1.16 g/cm <sup>3</sup>
<b>Relative density</b>	Not determined.
<b>Vapour density</b>	Not applicable.
<b>Evaporation rate</b>	Not applicable.

**Solubility in / Miscibility with**

**Water:** Insoluble

**Segregation coefficient (n-octanol/water) log**

**Pow:** Not determined.

**Viscosity:**

<b>dynamic:</b>	Not applicable.
<b>kinematic:</b>	Not applicable.

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 23.02.2018

Version number 1

Revision: 22.02.2018

**Trade name weberseal PU**

(Contd. of page 5)

**Solvent content:**  
**EU-VOC**

0.00 %

**9.2 Other information**

No further relevant information available.

**SECTION 10: Stability and reactivity**

**10.1 Reactivity** No further relevant information available.

**10.2 Chemical stability** Stable at recommended storage conditions

**Thermal decomposition / Conditions to be avoided:**

No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions**

Reacts with acids

Reacts with amines

**10.4 Conditions to avoid** No further relevant information available.

**10.5 Incompatible materials:** No further relevant information available.

**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

**SECTION 11: Toxicological information**

**11.1 Information on toxicological effects**

**Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:**

Components	Type	Value	Species
<b>CAS: 1309-37-1 diiron trioxide</b>			
Oral	LD50	>5,000 mg/kg	(Rat)
<b>CAS: 1330-20-7 xylene, mixed isomers, pure</b>			
Oral	LD50	4,300 mg/kg	(Rat)
Dermal	LD50	2,000 mg/kg	(rbt)
Inhalative	LC50/4 h	29 mg/l	(Rat)
<b>Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, &lt;2% aromatics</b>			
Oral	LD50	>5,000 mg/kg	(Rat)
Dermal	LD50	>2,000 mg/kg	(Rat)

**Primary irritant effect:**

**Skin corrosion/irritation** Skin irritation possible due to drying effect.

**Serious eye damage/irritation** Slightly irritating

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 23.02.2018

Version number 1

Revision: 22.02.2018

**Trade name weberseal PU**

(Contd. of page 6)

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Aquatic toxicity:** Not classified as harmful to aquatic life

<b>Type of test</b>	<b>Effective concentration</b>	<b>Method</b>	<b>Assessment</b>
---------------------	--------------------------------	---------------	-------------------

**CAS: 1330-20-7 xylene, mixed isomers, pure**

LC50/96h	13.5 mg/l (Fish)
EC50/24h	165 mg/l (Daphnia magna)
EC50/48h	8.5 mg/l (Daphnia magna)

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

**Behaviour in environmental systems:**

**12.4 Mobility in soil** No further relevant information available.

**Additional ecological information:**

**General notes:** Do not allow product to reach ground water, water course or sewage system.

**12.5 Results of PBT and vPvB assessment**

**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

**12.6 Other adverse effects** No further relevant information available.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

**Recommendation** Dispose of the product in accordance with national and local regulations.

**European waste catalogue**

Possible waste code. The concrete waste code depends on the source of the waste.

08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous substances
-----------	--

**Uncleaned packaging:**

**Recommendation:** Disposal must be made according to official regulations.

**SECTION 14: Transport information**

<b>14.1 UN-Number</b> ADR, ADN, IMDG, IATA	Void
---	------

<b>14.2 UN proper shipping name</b> ADR, ADN, IMDG, IATA	Void
---	------

(Contd. on page 8)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 23.02.2018

Version number 1

Revision: 22.02.2018

**Trade name weberseal PU**

(Contd. of page 7)

**14.3 Transport hazard class(es)****ADR, ADN, IMDG, IATA  
Class**

Void

**14.4 Packing group  
ADR, IMDG, IATA**

Void

**14.5 Environmental hazards:**

Not applicable.

**14.6 Special precautions for user  
Stowage Category**Not applicable.  
B**14.7 Transport in bulk according to Annex II of  
Marpol and the IBC Code**

Not applicable.

**UN "Model Regulation":**

Void

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Labelling according to Regulation (EC) No 1272/2008** cf. section 2**Directive 2012/18/EU****Named dangerous substances - ANNEX I** None of the ingredients is listed.**REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 20,46a,52a,56a**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Relevant phrases**

H226 Flammable liquid and vapour.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H332 Harmful if inhaled.

**Department issuing SDS:** Research & Development**Contact:**

Mrs. K. Locolas

Tel: 06-32135043

**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 9)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 23.02.2018

Version number 1

Revision: 22.02.2018

**Trade name weberseal PU**

(Contd. of page 8)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

**\* Data compared to the previous version altered.**

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

EUG