

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.02.2019

Version number 1

Revision: 28.02.2019

1 Identification of the substance/mixture and of the company/undertaking

Product identifier**Trade name** Weber.Shine Armor Component B**Safety data sheet no.:** XXP015053-b**Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

Application of the substance / the mixture Construction chemicals**Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Saint-Gobain India Pvt. Ltd.

Sigapi Achi Building, Floor no. 7

18/3 Rukmini Lakshmipathy Road, Egmore

Chennai- 600008

Tamil Nadu, India.

Phone: +912240212121

Emergency telephone number:

+912240212121(Board line number)

In case of emergency: +918451931666, +919324391824

2 Hazards identification

Classification of the substance or mixture

corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



Skin Sens. 1 H317 May cause an allergic skin reaction.

Acute Tox. 5 H303 May be harmful if swallowed.

Acute Tox. 5 H313 May be harmful in contact with skin.

Aquatic Acute 3 H402 Harmful to aquatic life.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

Label elements**GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

Hazard pictograms

GHS05 GHS07

Signal word Danger

(Contd. on page 2)

IN

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.02.2019

Version number 1

Revision: 28.02.2019

Trade name Weber.Shine Armor Component B

(Contd. of page 1)

Hazard-determining components of labelling:

3-aminomethyl-3,5,5-trimethylcyclohexylamine
 Fatty acids, C18-unsatd., dimers, oligomeric reaction products with fatty acids, C16-18 and C18-unsatd., branched and linear and triethylenetetramine
 Benzyl alcohol
 4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine

Hazard statements

H303 May be harmful if swallowed.
 H313 May be harmful in contact with skin.
 H314 Causes severe skin burns and eye damage.
 H317 May cause an allergic skin reaction.
 H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
 P102 Keep out of reach of children.
 P103 Read label before use.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.
 P321 Specific treatment (see on this label).
 P362+P364 Take off contaminated clothing and wash it before reuse.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards

Results of PBT and vPvB assessment










PBT: Does not contain PBT substances.
vPvB: Does not contain vPvB substances.

3 Composition/information on ingredients

Chemical characterisation: Mixtures

Description: Mixture of substances listed below with non hazardous additions.

Dangerous components:

CAS: 2855-13-2 EINECS: 220-666-8	3-aminomethyl-3,5,5-trimethylcyclohexylamine  Skin Corr. 1B, H314;  Eye Dam. 1, H318;  Acute Tox. 4, H302; Acute Tox. 4, H312;  Skin Sens. 1, H317; Aquatic Chronic 3, H412	25-50%
CAS: 100-51-6 EINECS: 202-859-9	Benzyl alcohol  Acute Tox. 4, H302;  Eye Irrit. 2, H319; Acute Tox. 5, H313; Acute Tox. 5, H333	25-50%
CAS: 157707-72-7 NLP: 500-381-8	Fatty acids, C18-unsatd., dimers, oligomeric reaction products with fatty acids, C16-18 and C18-unsatd., branched and linear and triethylenetetramine  Skin Corr. 1A, H314;  Eye Dam. 1, H318;  Skin Sens. 1, H317; Aquatic Acute 3, H402; Aquatic Chronic 3, H412	10-25%

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.02.2019

Version number 1

Revision: 28.02.2019

Trade name Weber.Shine Armor Component B

(Contd. of page 2)

CAS: 38294-64-3 NLP: 500-101-4	4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ Skin Sens. 1, H317; Aquatic Acute 3, H402; Aquatic Chronic 3, H412	10-20%
-----------------------------------	--	--------

SVHC Void

Additional information For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

Description of first aid measures

General information

Immediately remove any clothing soiled by the product.
Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

After inhalation

Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.

After skin contact

Seek immediate medical advice.
Immediately wash with water and soap and rinse thoroughly.

After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

After swallowing Drink plenty of water and provide fresh air. Call for a doctor immediately.

Information for doctor

Most important symptoms and effects, both acute and delayed

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

If swallowed, gastric irrigation with added, activated carbon.

5 Firefighting measures

Extinguishing media

Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.
During heating or in case of fire poisonous gases are produced.

Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.
Mouth respiratory protective device.

IN
(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.02.2019

Version number 1

Revision: 28.02.2019

Trade name Weber.Shine Armor Component B

(Contd. of page 3)

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Particular danger of slipping on leaked/spilled product.

Ensure adequate ventilation.

Mouth respiratory protective device.

Environmental precautions:

The product must not get into watercourses or into the soil.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

Do not allow product to reach sewage system or any water course.

Suppress gases/fumes/haze with water spray.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling**Precautions for safe handling**

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about fire - and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Keep respiratory protective device available.

Conditions for safe storage, including any incompatibilities**Storage****Requirements to be met by storerooms and receptacles:**

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

Keep container tightly sealed.

Specific end use(s) No further relevant information available.

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.02.2019

Version number 1

Revision: 28.02.2019

Trade name Weber.Shine Armor Component B

(Contd. of page 4)

8 Exposure controls/personal protection

Additional information about design of technical facilities: No further data; see item 7.

Control parameters

Ingredients with limit values that require monitoring at the workplace:

DNELs		
CAS: 2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine		
Oral	Derived No Effect Level	0.526 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	0.073 mg/m ³ (worker local short term value)
		0.073 mg/m ³ (worker local long term value)
CAS: 38294-64-3 4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine		
Dermal	Derived No Effect Level	0.14 mg/kgxday (worker systemic long term value)
		0.05 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	0.98 mg/m ³ (worker systemic long term value)
		0.18 mg/m ³ (consumer systemic long term value)

Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Use a moisturising skin cream after processing the product.

Respiratory protection:

Filter A2/P2.

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands: Protective gloves.

Material of gloves

Butyl rubber, BR

Nitrile rubber, NBR

Eye protection: Tightly sealed goggles

Body protection: Protective work clothing.

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.02.2019

Version number 1

Revision: 28.02.2019

Trade name Weber.Shine Armor Component B

(Contd. of page 5)

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form:	Liquid
Colour:	Yellowish
Odour:	Characteristic
Odour threshold:	Not determined.

pH-value:	Not applicable. Not determined.
------------------	------------------------------------

Change in condition

Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	180 °C

Flash point:	>100 °C
---------------------	---------

Flammability (solid, gas):	Not applicable.
-----------------------------------	-----------------

Ignition temperature:	380 °C
------------------------------	--------

Decomposition temperature:	Not determined.
-----------------------------------	-----------------

Auto-ignition temperature:	Product is not selfigniting.
-----------------------------------	------------------------------

Explosive properties:	Product does not present an explosion hazard.
------------------------------	---

Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

Oxidising properties	Not determined.
-----------------------------	-----------------

Vapour pressure:	Not determined.
-------------------------	-----------------

Density:	Not determined
-----------------	----------------

Bulk density:	Not applicable.
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.

Solubility in / Miscibility with

Water:	Not miscible or difficult to mix
---------------	----------------------------------

Segregation coefficient (n-octanol/water) log

Pow:	Not determined.
-------------	-----------------

Viscosity:

dynamic:	Not determined.
kinematic:	Not determined.

Solvent separation test:

Other information	Not determined No further relevant information available.
--------------------------	--

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.02.2019

Version number 1

Revision: 28.02.2019

Trade name Weber.Shine Armor Component B

(Contd. of page 6)

10 Stability and reactivity

Reactivity Not reactive under normal conditions of use

Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

To avoid thermal decomposition do not overheat.

Possibility of hazardous reactions

Reacts with acids, alkalis and oxidizing agents

Reacts with strong oxidizing agents

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products:

Carbon monoxide

Carbon dioxide

Nitrogen oxides

11 Toxicological information

Information on toxicological effects

Acute toxicity

LD/LC50 values relevant for classification:

Components	Type	Value	Species
CAS: 2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine			
Oral	LD50	1,030 mg/kg	(Rat)
Dermal	LD50	>2,000 mg/kg	(Rat)
CAS: 100-51-6 Benzyl alcohol			
Oral	LD50	1,580 mg/kg	(Mouse)
Dermal	LD50	>2,000 mg/kg	(Rabbit)
Inhalative	LC50/4 h	4,178 mg/l	(Rat)

Primary irritant effect:

Skin corrosion/irritation

Strong caustic effect on skin and mucous membranes.

Irritant to skin and mucous membranes.

Serious eye damage/irritation

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

Respiratory or skin sensitisation Sensitisation possible through skin contact.

Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:

Irritant

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.02.2019

Version number 1

Revision: 28.02.2019

Trade name Weber.Shine Armor Component B

(Contd. of page 7)

12 Ecological information

Toxicity

Aquatic toxicity:

Harmful to aquatic life with long lasting effects (H412).

Harmful to aquatic life with long lasting effects.

Type of test	Effective concentration	Method	Assessment
--------------	-------------------------	--------	------------

CAS: 2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine

LC50/96h	110 mg/l	(Brachydanio rerio (zebra danio))	
EC50/24h	42 mg/l	(Daphnia magna)	
EC50/48h	23 mg/l	(Daphnia magna)	
EC50/72h	37 mg/l	(Scenedesmus subspicatus (Algae))	
EC 10	1,120 mg/l	(Pseudomonas putida (Bacteria))	
EC 10/18h	1,120 mg/l	(Pseudomonas putida (Bacteria))	

CAS: 100-51-6 Benzyl alcohol

LC50/48h	645 mg/l	(Leuciscus idus (Orfe))	
LC50/96h	10 mg/l	(Lepomis macrochirus (Sunfish))	
	460 mg/l	(Pimephales promelas (Minnow))	
EC50/24h	400 mg/l	(Daphnia magna)	
EC50/96h	400 mg/l	(Daphnia magna)	
	640 mg/l	(Scenedesmus quadricauda (Algae))	
EC 10	400 mg/l	(Pseudomonas putida (Bacteria))	

Persistence and degradability No further relevant information available.

Behaviour in environmental systems:

Bioaccumulative potential

CAS: 2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine

EBAB	0.79 log Pow
------	--------------

CAS: 100-51-6 Benzyl alcohol

EBAB	1.1 log Pow (Bioaccumulation)
------	-------------------------------

Mobility in soil No further relevant information available.

Ecotoxicological effects:

Remark:

The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria.

Harmful to fish

Behaviour in sewage processing plants:

Type of test	Effective concentration	Method	Assessment
--------------	-------------------------	--------	------------

CAS: 100-51-6 Benzyl alcohol

EC 50 (3h)	79 mg/l	(Scenedesmus quadricauda (Algae))	
------------	---------	-----------------------------------	--

Other information:

CAS: 100-51-6 Benzyl alcohol

BSB (5)	1,550 mg O2/g
---------	---------------

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.02.2019

Version number 1

Revision: 28.02.2019

Trade name Weber.Shine Armor Component B

(Contd. of page 8)

Additional ecological information:

General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.
Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number
ADR, IMDG, IATA

UN2289

UN proper shipping name
ADR
IMDG, IATA

2289 ISOPHORONEDIAMINE mixture
ISOPHORONEDIAMINE mixture

Transport hazard class(es)

ADR



Class
Label

8 (C7) Corrosive substances.
8

IMDG, IATA



Class
Label

8 Corrosive substances.
8

(Contd. on page 10)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.02.2019

Version number 1

Revision: 28.02.2019

Trade name Weber.Shine Armor Component B

(Contd. of page 9)

Packing group ADR, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user Danger code (Kemler): EMS Number: Stowage Category	Warning: Corrosive substances. 80 F-A,S-B A
Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
Transport/Additional information:	

ADR Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Transport category Tunnel restriction code	3 E

IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 2289 ISOPHORONEDIAMINE MIXTURE, 8, III

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1272/2008 (CLP)

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Directive 2004/42/CE (VOC), cf. section 9

GHS label elements

cf. section 2

The product is classified and labelled according to the Globally Harmonised System (GHS).

Hazard pictograms



GHS05 GHS07

Signal word Danger

Hazard-determining components of labelling:

3-aminomethyl-3,5,5-trimethylcyclohexylamine

(Contd. on page 11)

IN

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.02.2019

Version number 1

Revision: 28.02.2019

Trade name Weber.Shine Armor Component B

(Contd. of page 10)

Fatty acids, C18-unsatd., dimers, oligomeric reaction products with fatty acids, C16-18 and C18-unsatd., branched and linear and triethylenetetramine
Benzyl alcohol

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine

Hazard statements

H303 May be harmful if swallowed.
H313 May be harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read label before use.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P321 Specific treatment (see on this label).
P362+P364 Take off contaminated clothing and wash it before reuse.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category Hazardous to the Aquatic Environment

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H313 May be harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H333 May be harmful if inhaled.
H402 Harmful to aquatic life.
H412 Harmful to aquatic life with long lasting effects.

Department issuing SDS: Research & Development

(Contd. on page 12)

IN

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.02.2019

Version number 1

Revision: 28.02.2019

Trade name Weber.Shine Armor Component B

(Contd. of page 11)

Contact:

S. Nagaraju

Phone: +918451931666

e-mail: nagaraju.s@saint-gobain.com

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 5: Acute toxicity – Category 5

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

IN