



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.02.2017 Version number 1 Revision: 23.02.2017

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name weber.tec non-shrink grout +

Safety data sheet no.: XXP0111112

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

## 1.3 Details of the supplier of the safety data sheet

### Manufacturer/Supplier:

Saint-Gobain Weber Co., Ltd.

Gypsum Metropolitan Tower 14th Floor 539/2 Si-Ayutthaya Road

Thanonphayathai, Ratchathewi

Bangkok 10400 Thailand

Tel: +662 245 8777

## 1.4 Emergency telephone number:

Tel. 0 2202 4225-7 Tel. 0 2202 4235-6

## **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008

Results of in vitro- tests have shown that cement based mixtures with more than 1% of cement cause serious skin irritation and serious eye damage, therefore the classification of these mixtures regarding H315 and H318 is not based on the calculation of the ingredients or the pH in this case.



GHS05 corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

#### 2.2 Label elements

## Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)





## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.02.2017 Version number 1 Revision: 23.02.2017

## Trade name weber.tec non-shrink grout +

(Contd. of page 1)

### **Hazard pictograms**





GHS05 GHS07

### Signal word Danger

## Hazard-determining components of labelling:

cement portland, grey

#### **Hazard statements**

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

## **Precautionary statements**

If medical advice is needed, have product container or label at hand. P101

P102 Keep out of reach of children.

Read label before use. P103

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor. P310

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

#### 2.3 Other hazards

The product contains silica sand with less than 1% of fine fraction and therefore is not classified as hazardous; however, pay attention when handling and follow the indications relating to personal protective equipment.

## Results of PBT and vPvB assessment PBT: Does not contain PBT substances.

## vPvB: Does not contain vPvB substances.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Chemical characterisation: Mixtures

**Description:** Mixture of substances listed below with non hazardous additions.

Dangerous components:					
			50%		
EINECS: 266-043-4	Eye Dam. 1, H318;  Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335				

**SVHC** Void

(Contd. on page 3)



Page 3/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.02.2017 Version number 1 Revision: 23.02.2017

Trade name weber.tec non-shrink grout +

(Contd. of page 2)

#### Additional information

The product contains silica sand composed of quartz (crystalline silica) with a fine fraction below 1%. For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

#### **General information**

Immediately remove any clothing soiled by the product.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

#### After inhalation

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position

for transportation.

## After skin contact

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

If skin irritation continues, consult a doctor.

## After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30 °C).

After swallowing If symptoms persist consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

If swallowed, gastric irrigation with added, activated carbon.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

## Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray

or alcohol resistant foam.

## 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

## **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- **6.2 Environmental precautions:** No special measures required.

(Contd. on page 4)



Page 4/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.02.2017 Version number 1 Revision: 23.02.2017

Trade name weber.tec non-shrink grout +

(Contd. of page 3)

### 6.3 Methods and material for containment and cleaning up:

Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Thorough dedusting.

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Provide suction extractors if dust is formed.

Information about fire - and explosion protection: Keep respiratory protective device available.

## 7.2 Conditions for safe storage, including any incompatibilities

Storage

### Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

**Information about storage in one common storage facility:** Store away from foodstuffs.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

Additional information about design of technical facilities: No further data; see item 7.

## 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS No. Designation of material % Type Value Unit

Additional Occupational Exposure Limit Values for possible hazards during processing:

Quartz alveolar dust (< 5 µm): 0,15 mg/m<sup>3</sup>

## Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

### 8.2 Exposure controls

#### Personal protective equipment:

## General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

(Contd. on page 5)





# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.02.2017 Version number 1 Revision: 23.02.2017

## Trade name weber.tec non-shrink grout +

(Contd. of page 4)

Wash hands before breaks and at the end of work.

Store protective clothing separately. Avoid contact with the eyes and skin.

Use a moisturising skin cream after processing the product.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands: Protective gloves.

Eye protection: Tightly sealed goggles

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties					
9.1 Information on basic physical and che General Information	mical properties				
Appearance: Form:	Powder				
Colour:	Grey				
Odour:	Uncharacteristic.				
Odour threshold:	Not determined.				
pH-value:	Alkaline				
Change in condition					
Melting point/freezing point:	Undetermined.				
Initial boiling point and boiling range:	Undetermined.				
Flash point:	Not applicable				
Flammability (solid, gas):	Product is not flammable.				
Ignition temperature:	Not determined.				
Decomposition temperature:	Not determined.				
Auto-ignition temperature:	Product is not selfigniting.				
Explosive properties:	Product does not present an explosion hazard.				
Explosion limits:					
Lower:	Not determined.				
Upper:	Not determined.				
Oxidising properties	Not determined.				
Vapour pressure:	Not applicable.				
Density at 20 °C:	1,4 g/cm³ (DIN 51757)				
	Not applicable.				
Relative density	Not determined.				
Vapour density	Not applicable.				

(Contd. on page 6)



Page 6/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.02.2017 Version number 1 Revision: 23.02.2017

Trade name weber.tec non-shrink grout +

(Contd. of page 5)

**Evaporation rate** Not applicable.

Solubility in / Miscibility with

Water: Unsoluble

Segregation coefficient (n-octanol/water) log

Pow: Not determined.

Viscosity:

**dynamic:**kinematic:
Not applicable.
Not applicable.

Solvent content:

**9.2 Other information**No further relevant information available.

## **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability Stable at recommended storage conditions

## Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Components	Туре	Value	Species
65997-15-1 cement po	rtland, grey		
Dermal LD50 > 2000 r	mg/kg (Rabbit)		

### Primary irritant effect:

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

## Serious eye damage/irritation

Causes serious eye damage.

### Respiratory or skin sensitisation

May cause an allergic skin reaction.

(Contd. on page 7)



Page 7/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.02.2017 Version number 1 Revision: 23.02.2017

Trade name weber.tec non-shrink grout +

(Contd. of page 6)

#### CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

Behaviour in environmental systems:

**12.4 Mobility in soil** No further relevant information available.

Additional ecological information:

#### General notes:

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

#### 12.5 Results of PBT and vPvB assessment

**PBT:** Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

**12.6 Other adverse effects** No further relevant information available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### European waste catalogue

Possible waste code. The concrete waste code depends on the source of the waste.

#### Uncleaned packaging:

### Recommendation:

Empty contaminated packagings thoroughly. They may be recycled

after thorough and proper cleaning.

Recommended cleaning agent: Thoroughly shake out sacks.

## **SECTION 14: Transport information**

14.1 UN-Number

ADR, ADN, IMDG, IATA Void

(Contd. on page 8)



Page 8/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.02.2017 Version number 1 Revision: 23.02.2017

Trade name weber.tec non-shrink grout +

		(Contd. of page
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Annomarpol and the IBC Code	ex II of Not applicable.	
UN "Model Regulation":	Void	

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

**REGULATION (EC) No 1907/2006 ANNEX XVII** 

The marketing and use of cement is subject to a restriction on the content of soluble Cr (VI) (REACH Annex XVII point 47 Chromium VI compounds)

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### **Relevant phrases**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

Department issuing SDS: Research & Development

Contact:

Mrs. K. Locolas Tel: 06-32135043

(Contd. on page 9)



Page 9/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.02.2017 Version number 1 Revision: 23.02.2017

## Trade name weber.tec non-shrink grout +

(Contd. of page 8)

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

\* Data compared to the previous version altered.

EUG