

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as
amended by Regulation (EU) 2020/878.

Printing date 17.11.2025

Version number 1

Revision: 17.11.2025

**SECTION 1: Identification of the substance/mixture and of the company/
undertaking**

1.1 Product identifier

Trade name: weber anti-slip grip

Safety data sheet no.: XXP018671

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint Gobain Weber Co. Ltd

Gypsum Metropolitan Tower 14th Floor 539/2 Si-Ayutthaya Road

Thanonphayathai, Ratchathewi

Bangkok 10400 Thailand

Tel: +662 245 8777

1.4 Emergency telephone number:

Tel. +662 202 4225-7

Tel. +662 202 4235-6

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07 GHS09

Signal word Warning

Hazard-determining components of labelling:

octhiline (ISO);2-octyl-2H-isothiazol-3-one

2-methyl-2H-isothiazol-3-one

1,2-benzisothiazoline-3(2H)-one

Hazard statements

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

(Contd. on page 2)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as
 amended by Regulation (EU) 2020/878.

Printing date 17.11.2025

Version number 1

Revision: 17.11.2025

Trade name: weber anti-slip grip

(Contd. of page 1)

- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
- P302+P352 IF ON SKIN: Wash with plenty of water.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

Information according to the Biocidal Products Regulation (EU) 528/2012: this product contains a biocidal product.

Active substance: 1,2-benzisothiazol-3(2H)-one (CAS no.: 2634-33-5)

Active substance: 2-methyl-2H-isothiazol-3-one (CAS no.: 2682-20-4)

Active substance: 2-octyl-2H-isothiazol-3-one (CAS no.: 26530-20-1)

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

Determination of endocrine-disrupting properties







Does not contain substances with endocrine-disrupting properties.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with non hazardous additions.

Dangerous components:

CAS: 886-50-0 EINECS: 212-950-5	terbutryn  Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100);  Acute Tox. 4, H302; Skin Sens. 1, H317	≥0.025-<0.1%
CAS: 26530-20-1 EINECS: 247-761-7 Index number: 613-112-00-5 Reg.nr.: 01-2120768921-45-xxxx	octhilinone (ISO);2-octyl-2H-isothiazol-3-one  Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330;  Skin Corr. 1, H314; Eye Dam. 1, H318;  Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100);  Skin Sens. 1A, H317, EUH071 ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg LC50/4 h inhalative: 0.27 mg/l Specific concentration limit: Skin Sens. 1A;H317: C ≥ 0.0015 %	≥0.025-<0.1%

(Contd. on page 3)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended by Regulation (EU) 2020/878.

Printing date 17.11.2025

Version number 1

Revision: 17.11.2025

Trade name: weber anti-slip grip

		(Contd. of page 2)
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6	1,2-benzisothiazoline-3(2H)-one ⚠ Acute Tox. 2, H330; ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1); ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1A, H317 ATE: LD50 oral: 450 mg/kg LC50/4 h inhalative: 0.21 mg/l Specific concentration limit: Skin Sens. 1A;H317: C ≥ 0.036 % substance with a Community workplace exposure limit	<0.025%
CAS: 2682-20-4 EINECS: 220-239-6 Index number: 613-326-00-9 Reg.nr.: 01-2120764690-50-xxxx	2-methyl-2H-isothiazol-3-one ⚠ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); ⚠ Skin Sens. 1A, H317, EUH071 Specific concentration limit: Skin Sens. 1A;H317: C ≥ 0.0015 % substance with a Community workplace exposure limit	≥0.0015-<0.025%

SVHC Void

Additional information For the wording of the listed hazard statements refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Immediately remove any clothing soiled by the product.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

After inhalation Supply fresh air and to be sure call for a doctor.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Remove contaminated gloves, clothing, footwear or other items and wash thoroughly before re-use.

If skin irritation continues, consult a doctor.

After eye contact

In case of eye contact: Rinse immediately with plenty of water for at least 15 minutes. Remove any contact lenses and open the eye wide. The rinsing water should be tempered (20 - 30°C).

After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Use foam, carbon dioxide, dry powder or water fog to extinguish.

(Contd. on page 4)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as
 amended by Regulation (EU) 2020/878.

Printing date 17.11.2025

Version number 1

Revision: 17.11.2025

Trade name: weber anti-slip grip

(Contd. of page 3)

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

Wear fully protective suit.

Wear self-contained respiratory protective device.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Wear suitable protective clothing, gloves, eye/face protection.

Avoid contact with skin and eyes.

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes.

Keep receptacles tightly sealed.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Ensure sufficient ventilation for storage and work areas.

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Protect from heat and direct sunlight.

Store in cool, dry conditions in well sealed receptacles.

Store under lock and key and out of the reach of children.

Protect from humidity and water.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

DNELs

CAS: 2634-33-5 1,2-benzisothiazoline-3(2H)-one

Dermal	Derived No Effect Level	0.966 mg/kgxday (worker systemic long term value)
		0.345 mg/kgxday (consumer systemic long term value)

(Contd. on page 5)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as
 amended by Regulation (EU) 2020/878.

Printing date 17.11.2025

Version number 1

Revision: 17.11.2025

Trade name: weber anti-slip grip

(Contd. of page 4)

Inhalative	Derived No Effect Level	6.81 mg/m ³ (worker systemic long term value) 1.2 mg/m ³ (consumer systemic long term value)
------------	-------------------------	---

CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one

Oral	Derived No Effect Level	0.027 mg/kgxday (consumer local long term value)
Inhalative	Derived No Effect Level	0.043 mg/m ³ (worker local short term value)
		0.021 mg/m ³ (worker local long term value)
		0.021 mg/m ³ (consumer local long term value)
		0.043 mg/m ³ (consumer local short term value)

PNECs

CAS: 26530-20-1 octhilinone (ISO);2-octyl-2H-isothiazol-3-one

Predicted No-Effect Concentration	0.0082 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration	0.00022 mg/l (sea water rating factor)
	0.0022 mg/l (fresh water rating factor)

CAS: 2634-33-5 1,2-benzisothiazoline-3(2H)-one

Predicted No-Effect Concentration	3 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration	0.000403 mg/l (sea water rating factor)
	0.00403 mg/l (fresh water rating factor)

CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one

Predicted No-Effect Concentration	0.0471 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration	0.00339 mg/l (sea water rating factor)
	0.00339 mg/l (fresh water rating factor)

CAS No. / Designation of material / % / Type / Value / Unit

CAS: 2634-33-5 1,2-benzisothiazoline-3(2H)-one

MAK (Germany) | vgl. Abschn. IIb und Xc

CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one

MAK (Germany) | vgl. Abschn. IIb und Xc

Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Immediately remove all soiled and contaminated clothing.

Use a moisturising skin cream after processing the product.

Respiratory protection:

Use suitable respiratory protective device when high concentrations are present.

Hand protection Protective gloves.

Material of gloves

Nitrile rubber, NBR

Rubber gloves

Eye/face protection Goggles recommended during refilling

Body protection: Protective work clothing.

EUG

(Contd. on page 6)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as
 amended by Regulation (EU) 2020/878.

Printing date 17.11.2025

Version number 1

Revision: 17.11.2025

Trade name: weber anti-slip grip

(Contd. of page 5)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state	Liquid
Colour:	According to product specification
Odour:	Odourless
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling range	Undetermined.
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable
Auto-ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
dynamic:	Not determined.
Solubility	
Water:	Insoluble
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	Not determined
Relative density	Not determined.
Bulk density:	Not applicable.
Vapour density	Not determined.

9.2 Other information

Appearance:	
Form:	Liquid
Important information on protection of health and environment, and on safety.	
Ignition temperature:	Product is not self-igniting.
Explosive properties:	Product does not present an explosion hazard.
Minimum ignition energy	
Solvent separation test:	Not applicable.
Solvent content:	
Organic solvents:	4.5 %
Water:	20.7 %
EU-VOC (%)	0.7500 %
EU-VOC (g/L)	7.5000 g/l
Change in condition	
Softening point/range	
Oxidising properties	Not determined.
Evaporation rate	Not determined.

Information with regard to physical hazard classes

Explosives	Void
-------------------	------

(Contd. on page 7)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as
 amended by Regulation (EU) 2020/878.

Printing date 17.11.2025

Version number 1

Revision: 17.11.2025

Trade name: weber anti-slip grip

(Contd. of page 6)

Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

- 10.1 Reactivity** Not reactive under normal conditions of use
- 10.2 Chemical stability** Stable at recommended storage conditions
- Thermal decomposition / Conditions to be avoided:**
No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions** No dangerous reactions known
- 10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Components	/	Type	/	Value	/	Species
CAS: 886-50-0 terbutryn						
Oral	LD50			1,000-2,045 mg/kg		(Rat)
Dermal	LD50			>2,000 mg/kg		(Rabbit)
CAS: 26530-20-1 octhilinone (ISO);2-octyl-2H-isothiazol-3-one						
Oral	LD50			125 mg/kg		(ATE)
Dermal	LD50			311 mg/kg		(ATE)
CAS: 2634-33-5 1,2-benzisothiazoline-3(2H)-one						
Oral	LD50			450 mg/kg		(ATE)
Dermal	LD50			>2,000 mg/kg		(Rat)
CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one						
Oral	LD50			120 mg/kg		(Rat)
Dermal	LD50			242 mg/kg		(Rat)
Inhalative	LC50/4 h			0.34 mg/l		(Rat)

(Contd. on page 8)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as
 amended by Regulation (EU) 2020/878.

Printing date 17.11.2025

Version number 1

Revision: 17.11.2025

Trade name: weber anti-slip grip

(Contd. of page 7)

Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

Type of test / Effective concentration / Method / Assessment

CAS: 886-50-0 terbutryn

IC50/72h	0.0055 mg/l (Selenastrum capricornutum (Green algae))
LC50/96h	1.1-1.3 mg/l (Fish)
EC50/48h	2.66 mg/l (Daphnia magna)
NOEC (21d)	1.3 mg/l (Daphnia magna)
	0.01 mg/l (Fish)

CAS: 26530-20-1 octhilinone (ISO);2-octyl-2H-isothiazol-3-one

LC50/48h	0.181 mg/l (aquatic invertebrates)
LC50/96h	0.122 mg/l (Fish)
EC50/96h	0.15 mg/l (aquatic algae and cyanobacteria)
EC 10	0.068 mg/l (aquatic algae and cyanobacteria)

CAS: 2634-33-5 1,2-benzisothiazoline-3(2H)-one

LC50/96h	2.15-22 mg/l (Fish)
EC50/48h	2.9 mg/l (aquatic invertebrates)
EC50/72h	0.07-0.15 mg/l (aquatic algae and cyanobacteria)
NOEC (72h)	0.0403-0.055 mg/l (aquatic algae and cyanobacteria)

CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one

LC50/48h	0.934 mg/l (aquatic invertebrates)
	6.2 mg/l (Fish)
LC50/24h	7.3 mg/l (Fish)
LC50/96h	1.81 mg/l (aquatic invertebrates)
	4.77 mg/l (Fish)
EC50/24h	0.445 mg/l (aquatic algae and cyanobacteria)
	1.7 mg/l (aquatic invertebrates)
EC50/48h	1.6 mg/l (aquatic invertebrates)
EC50/96h	0.0725 mg/l (aquatic algae and cyanobacteria)
NOEC (21d)	0.042 mg/l (aquatic invertebrates)

(Contd. on page 9)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as
 amended by Regulation (EU) 2020/878.

Printing date 17.11.2025

Version number 1

Revision: 17.11.2025

Trade name: weber anti-slip grip

(Contd. of page 8)

EC 10/16h	1 mg/l (microorganisms)
-----------	-------------------------

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential

CAS: 886-50-0 terbutryn

EBAB	3.66 log Pow
------	--------------

CAS: 26530-20-1 octhilinone (ISO);2-octyl-2H-isothiazol-3-one

EBAB	2.61 log Pow (Bioaccumulation)
------	--------------------------------

Bioaccumulation Factor (BCF)	19.21
------------------------------	-------

CAS: 2634-33-5 1,2-benzisothiazoline-3(2H)-one

EBAB	0.7 log Pow
------	-------------

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Behaviour in sewage processing plants:

Type of test / Effective concentration / Method / Assessment

CAS: 2634-33-5 1,2-benzisothiazoline-3(2H)-one

EC 50 (3h)	12.8-24 mg/l (microorganisms)
------------	-------------------------------

CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one

EC 50 (3h)	41 mg/l (microorganisms)
------------	--------------------------

Additional ecological information:

General notes:

Do not allow product to reach ground water, water course or sewage system.

Avoid transfer into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Dispose of the product in accordance with national and local regulations.

Avoid release to the environment.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

HP14	Ecotoxic
------	----------

Uncleaned packaging:

Recommendation: Dispose of packaging according to regulations on the disposal of packagings.

Recommended cleaning agent: Water, if necessary together with cleansing agents.

EUG

(Contd. on page 10)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as
 amended by Regulation (EU) 2020/878.

Printing date 17.11.2025

Version number 1

Revision: 17.11.2025

Trade name: weber anti-slip grip

(Contd. of page 9)

SECTION 14: Transport information

14.1 UN number or ID number
 ADR, IMDG, IATA

UN3082

14.2 UN proper shipping name
 ADR

3082 ENVIRONMENTALLY HAZARDOUS
 SUBSTANCE, LIQUID, N.O.S. (octhilinone (ISO);
 2-octyl-2H-isothiazol-3-one, terbutryn)

IMDG


ENVIRONMENTALLY HAZARDOUS
 SUBSTANCE, LIQUID, N.O.S. (octhilinone (ISO);
 2-octyl-2H-isothiazol-3-one, terbutryn), MARINE
 POLLUTANT

IATA

ENVIRONMENTALLY HAZARDOUS
 SUBSTANCE, LIQUID, N.O.S. (octhilinone (ISO);
 2-octyl-2H-isothiazol-3-one, terbutryn)

14.3 Transport hazard class(es)

ADR




Class

9 (M6) Miscellaneous dangerous substances and
 articles.

Label

9

IMDG, IATA



Class

9 Miscellaneous dangerous substances and
 articles.

Label

9

14.4 Packing group
 ADR, IMDG, IATA

III

14.5 Environmental hazards:

Marine pollutant:

Symbol (fish and tree)

Special marking (ADR):

Symbol (fish and tree)

Special marking (IATA):

Symbol (fish and tree)

14.6 Special precautions for user

Warning: Miscellaneous dangerous substances
 and articles.

Hazard identification number (Kemler code):

90

EMS Number:

F-A,S-F

Stowage Category

A

14.7 Maritime transport in bulk according to
 IMO instruments

Not applicable.

Transport/Additional information:

ADR

Limited quantities (LQ)

5L

Excepted quantities (EQ)

Code: E1

(Contd. on page 11)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as
 amended by Regulation (EU) 2020/878.

Printing date 17.11.2025

Version number 1

Revision: 17.11.2025

Trade name: weber anti-slip grip

(Contd. of page 10)

Transport category	Maximum net quantity per inner packaging: 30 ml
Tunnel restriction code	Maximum net quantity per outer packaging: 1000 ml
	3
	(-)
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (OCTHILINONE (ISO); 2-OCTYL-2H-ISOTHIAZOL-3-ONE, TERBUTRYN), 9, III

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category E2 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

REGULATION (EU) 2017/852 on mercury (Annex I)

None of the ingredients is listed.

REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

Regulation (EU) No 649/2012

None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 12)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as
 amended by Regulation (EU) 2020/878.

Printing date 17.11.2025

Version number 1

Revision: 17.11.2025

Trade name: weber anti-slip grip

(Contd. of page 11)

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

REGULATION (EU) 2024/590 on substances that deplete the ozone layer

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.

Classification according to Regulation (EC) No 1272/2008

Skin sensitisation Hazardous to the aquatic environment - long-term (chronic) aquatic hazard	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
---	--

Department issuing SDS: Research & Development

Contact:

Mr. E. Hermkens
 Tel: 06-32172591
 erik.hermkens@saint-gobain.com

Abbreviations and acronyms:

- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
- ICAO: International Civil Aviation Organisation
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- DNEL: Derived No-Effect Level (REACH)

(Contd. on page 13)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as
amended by Regulation (EU) 2020/878.

Printing date 17.11.2025

Version number 1

Revision: 17.11.2025

Trade name: weber anti-slip grip

(Contd. of page 12)

PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern (REACH regulation)
vPvB: very Persistent and very Bioaccumulative
ATE: Acute toxicity estimate values
Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 2: Acute toxicity – Category 2
Skin Corr. 1: Skin corrosion/irritation – Category 1
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1A: Skin sensitisation – Category 1A
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

EUG