

## MATERIAL SAFETY DATA

EDITION: 1      DATE: January 2010

**weber.fix pro**

### 1. PRODUCT

NAME: **weber. fix pro**

#### Chemical Nature

Off-white pastes which are used as wall tiling adhesives

Manufacturer

Saint-Gobain Weber Co., Ltd.  
Gypsum Metropolitan Tower 14<sup>th</sup> Floor 539/2 Si-Ayutthaya Road,  
Thanonphayathai, Ratchathewi, Bangkok 10400 Thailand

EMERGENCY TELEPHONE NUMBER.      +662 245 8777

### 2. COMPOSITION

Consists of mixture of styrene/acrylic emulsion, mineral fillers, and small quantities of organic additives, including an antibacterial agent

### 3. HAZARDS IDENTIFICATION

If product is used in accordance with good industrial hygiene, then it is not hazardous.  
Can cause irritation to persons with sensitive skin.

### 4. FIRST AID MEASURES

SKIN CONTACT:                      Wipe off excess with tissue. Wash thoroughly with soap and water. Do not allow product to set on skin.

EYE CONTACT:                      Irrigate eyes with clean water for at least 5 minutes. If irritation persists, seek medical advice.

INHALATION:                        Not known to cause harmful effects. However, if feeling unwell, remove to fresh air.

INGESTION:                         Drink plenty of water. Do not induce vomiting. Seek medical advice.

### 5. FIRE-FIGHTING MEASURES

Product is not flammable. Do not release water contaminated with these products into surface water drains.

### 6. ACCIDENTAL RELEASE MEASURES

#### Environmental Precautions

Do not allow material into watercourses and drains

#### Methods for Cleaning

Scrape up excess material before it sets, and place into suitable containers pending safe disposal to a suitable landfill site

### 7. HANDLING AND STORAGE

#### Handling

When handling buckets of product, due regard should be paid to Manual Handling Operations Regulations 1992. Appropriate personal protection should be used whilst handling. Wash hands after use.

#### Storage

Buckets should be stacked in a safe and stable manner. Store in dry conditions between 5 and 30 °C. Protect from frost and direct sunlight

## MATERIAL SAFETY DATA

EDITION: 1      DATE: January 2010

**weber.fix pro**

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Technical Protective Measures

No special measures required

#### Respiratory Protection

Use in well-ventilated areas

#### Hand Protection

Suitable gloves/barrier cream may be required for persons with sensitive skin

#### Eye Protection

Suitable goggles or face protection should be worn wherever there is a risk of product entering the eye

#### Skin Protection

Wear overalls and closed footwear

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Creamy white paste.  
Density: 1.7 – 1.8 g/cm<sup>3</sup> approx.  
Solubility: Miscible.

### 10. STABILITY AND REACTIVITY

Avoid temperatures over 30°C and below 5°C. Avoid contact with acids.

### 11. TOXICOLOGICAL INFORMATION

Not known to be harmful, if used as directed. Prolonged skin contact may cause irritation/rash. Eye contact may cause irritation/redness.

### 12. ECOLOGICAL INFORMATION

Product is not known to cause long-term environmental effects, if disposed of correctly.  
Product should not be allowed to enter drains/watercourses or allowed to reach ground/surface water.

### 13. DISPOSAL CONSIDERATIONS

Should be disposed of at a suitable landfill site in accordance with Control of Pollution Act 1974 and Environmental Protection Act 1990.

### 14. TRANSPORT INFORMATION

This product is not classed as hazardous for the purposes of transportation.

### 15. REGULATORY INFORMATION

Symbol:	None
S Phrases:	
S2	Keep out of reach of children.
S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S28	After contact with skin, wash immediately with plenty of water.
S36/37/39	Wear suitable protective clothing, gloves, eye protection



## MATERIAL SAFETY DATA

EDITION: 1      DATE: January 2010

**weber.fix pro**

### 16. OTHER INFORMATION

The product should be used as directed - consult specification sheet for further details. This information is given in good faith and is believed to be accurate and complete. It should be made available to all personnel using/ handling the product.

This safety sheet has been prepared in accordance with the provisions of the EC SDS Directive 91/155.